

HPV Vaccine May be Dangerous After All; CBCD Reviews a Report

Figures released by the British national vaccine programme showed that the HPV vaccine damaged the health of thousands of vaccinated girls. (1)

ROCHESTER, NEW YORK, UNITED STATES, June 3, 2015 /EINPresswire.com/ --


"Infected with the HPV virus? The CBCD recommends taking Novirin or Gene-Eden-VIR." - Greg Bennett, CBCD

Over a ten year period, there were 8,228 reports of side effects associated with the HPV vaccine, "almost more than all other routine jabs put together." (1) Importantly, "more than a quarter of these reports were classed as 'serious', a category that includes symptoms severe enough to require hospital treatment or even be life-threatening." (1) Descriptions from those who received the vaccine explained how, after vaccination, they experienced "fits, extreme tiredness and even been left wheelchair-bound after being vaccinated in their early teens. In some cases, the girls started to feel ill on the day they were vaccinated. Others became sick several weeks later." (1)

Some healthcare practitioners and parents in the U.K. are worried.

"Parents are not being given enough information about potential side-effects of the vaccine ... girls who fall ill after vaccination are not being taken seriously by GPs (General Physicians) when





parents suggest the illness could be vaccine-related. Jackie Fletcher, of pressure group Jabs, said: 'Previously fit and healthy young girls have developed seizures or viral fatigue, some have lost the ability to walk. And years on, some have still not recovered.'" (1)

obstetrics/gynecology at Shaare Zedek Medical Center in Israel, urged the medical community to be cautious in regards to HPV vaccination. "I want to see fundamental studies proving efficacy, and they do not exist." (See the Jerusalem Post, from September 21, 2013) (2)

The vaccines, Beller said, "were tested on mostly white women attending colleges and university - mostly from developed countries and healthy. The data were based on a relatively short term follow-up period. What is known does not yet justify widespread vaccination of healthy girls (2)." In addition, Dr. Beller said that "there is no evidence that prophylactic (preventative) vaccination against HPV types 16 and 18 reduces the incidence of cervical cancer." As the vaccine costs \$100 to \$360 for three doses in wealthy countries, it is completely out of the reach of developing countries, where an effective vaccine would be most urgently needed (2)."

The Jerusalem Post report concluded that "pediatricians are important advocates for preventive medicine, but they may know little about HPV infection and cervical and other HPV-related cancers. Obstetricians / Gynecologists know about HPV and cervical cancer prevention, but they often know little about vaccines and immunization delivery (2)."

Click to learn more about HPV symptoms.

"We believe doctors need facts. Many times, they're recommending vaccination to their patients because that's the party line of the National Health Service (NHS) at the moment." - Greg Bennett, CBCD

A recent post marketing clinical study published in the peer reviewed, medical journal Pharmacology & Pharmacy, in a special edition on Advances in Antiviral Drugs on August 12, 2013 showed that the formula of Novirin and Gene-Eden-VIR reduced HPV symptoms and was safe and effective (3).

The formula of Novirin and Gene-Eden-VIR was tested by Hanan Polansky and Edan Itzkovitz from the CBCD in two clinical studies that followed FDA guidelines. The studies showed that the Novirin and Gene-Eden-VIR formula is effective against the HPV and other viruses. The clinical studies were published in the peer reviewed, medical journal Pharmacology & Pharmacy, the first, in a special edition on Advances in Antiviral Drugs. Study authors wrote that, "individuals infected with the HPV...reported a safe decrease in their symptoms following treatment with Gene-Eden-VIR." (3) The study authors also wrote that "we observed a statistically significant decrease in the severity, duration, and frequency of symptoms." (3)

Both products can be ordered online on the Novirin and Gene-Eden-VIR websites, here:

http://www.gene-eden-vir.com

and

http://www.novirin.com

Novirin and Gene-Eden-VIR are natural antiviral dietary supplements. Their formula contains five natural ingredients: Selenium, Camellia Sinesis Extract, Quercetin, Cinnamomum Extract, and Licorice Extract. The first ingredient is a trace element, and the other four are plant extracts. Each ingredient and its dose was chosen through a scientific approach. Scientists at polyDNA, the company that invented and patented the formula, scanned thousands of scientific and medical papers published in various medical and scientific journals, and identified the safest and most effective natural ingredients against latent viruses.

To date, Novirin and Gene-Eden-VIR are the only natural antiviral products on the market with published clinical studies that support their claims. Note: Novirin has the same formula as Gene-Eden-VIR. However, it contains higher quality and more expensive ingredients.

Doctors can view the papers on Gene-Eden-VIR here: http://www.scirp.org/journal/PaperInformation.aspx?PaperID=36101 http://www.scirp.org/journal/PaperInformation.aspx?PaperID=44234#.VIBA http://www.scirp.org/journal/PaperInformation.aspx?PaperID=44234#.VIBA <a href="http://www.scirp.org/journal/PaperInformation.aspx?PaperID=44234#.VIBA <a href="http://www.scirp.org/journal/PaperInformation.aspx?P

Are there other treatments or remedies available against the HPV?

"There are no drugs approved against the HPV. Current treatments include procedures, such as cryotherapy, conization, and the Loop Electrosurgical Excision Procedure (LEEP). These procedures use liquid nitrogen, a surgical knife (scalpel), a carbon dioxide (CO2) laser, or electrical current to remove the abnormal growths caused by the HPV. These growths include cells that harbor the active virus (this is before the HPV has caused cancer). The procedures do not target cells with the latent virus. Since they do not remove the latent virus, these procedures only produce a temporary remission." (3) In contrast, the formula of Novirin and Gene-Eden-VIR was shown to reduce HPV symptoms in two separate post-marketing clinical studies that followed FDA guidelines.

All orders of these products are completely confidential, and no information is shared or sold to any third party. Privacy is assured.

Reference:

- (1) Macrae, F. "Tens of thousands of teenage girls believed to have fallen ill with debilitating illnesses after routine HPV cervical cancer jab." Last updated June 1, 2015. Mail Online http://www.dailymail.co.uk/health/article-3104629/Tens-thousands-teenage-girls-fall-ill-debilitating-illnesses-routine-HPV-cervical-cancer-jab.html
- (2) Siegel-Itzkovich, J. "HPV: To vaccinate or not to vaccinate." Published September 21, 2013.http://www.jpost.com/Health-and-Science/HPV-To-vaccinate-or-not-to-vaccinate-326711
- (3) Polansky H, Itzkovitz E. Gene-Eden-VIR Is Antiviral: Results of a Post Marketing Clinical Study. Pharmacology & Pharmacy, 2013, 4, 1-8 http://www.scirp.org/journal/PaperInformation.aspx?PaperID=36101

Hanan Polansky Lilac Corp. 5852509999 email us here

This press release can be viewed online at: http://www.einpresswire.com

Disclaimer: If you have any questions regarding information in this press release please contact the company listed in the press release. Please do not contact EIN Presswire. We will be unable to assist you with your inquiry. EIN Presswire disclaims any content contained in these releases. © 1995-2015 IPD Group, Inc. All Right Reserved.