

HPV: Men 45 and Older May be at Greater Risk of Infection; The CBCD Reviews the Medical Evidence

According to a study, men 45 and older were significantly more likely to have infection of oral HPV16. (1)

ROCHESTER, NEW YORK, UNITED STATES OF AMERICA, July 6, 2015 /EINPresswire.com/ --

"Infected with the human papillomavirus (HPV)? The Center for the Biology of Chronic Disease (CBCD), recommends taking <u>Gene-Eden-VIR</u> or <u>Novirin</u>." – Greg Bennett, CBCD

Men over the age of 45 may be at greater risk for infection with certain strains of the human papillomavirus, according to a study from the Moffitt Cancer Center. Specifically, HPV 16, a viral strain that is strongly associated with head and neck cancers, was found to live in these mens' mouths for longer periods of time than in younger men. (1) This is important because, as Dr. Christine Pierce Campbell said, "HPV viruses that stick around in the body are more likely to drive the development of some cancers." (1) Dr. Campbell was the lead researcher in the Moffit Cancer Center study. Researchers speculated that the reason older men may be at greater risk is due to a decline in the immune system associated with aging. "You aren't able to fight off infection as well as when you were younger, and we know that HPV infection really flourishes in an environment where there is little immune response." (1) In the United States, HPV caused oral cancer is 4 times higher





among men.

The CBCD recommends that men take Gene-Eden-VIR or Novirin to help their immune system target the latent human papillomavirus (HPV). These natural products were clinically proven to reduce

Hanan Polansky and Edan Itzkovitz from the CBCD in two clinical studies that followed FDA guidelines. The studies showed that the Novirin and Gene-Eden-VIR formula is effective against the HPV and other viruses. The clinical studies were published in the peer reviewed, medical journal Pharmacology & Pharmacy, the first, in a special edition on Advances in Antiviral Drugs. Study authors wrote that, "individuals infected with the HPV...reported a safe decrease in their symptoms following treatment with Gene-Eden-VIR." (2) The study authors also wrote that "we observed a statistically significant decrease in the severity, duration, and frequency of symptoms." (2)

Both products can be ordered online at the products' respective websites, here:

http://www.gene-eden-vir.com

and

http://www.novirin.com

Gene-Eden-VIR and Novirin are natural antiviral dietary supplements. Their formula contains five natural ingredients: Selenium, Camellia Sinesis Extract, Quercetin, Cinnamomum Extract, and Licorice Extract. The first ingredient is a trace element, and the other four are plant extracts. Each ingredient and its dose was chosen through a scientific approach. Scientists at polyDNA, the company that invented and patented the formula, scanned thousands of scientific and medical papers published in various medical and scientific journals, and identified the safest and most effective natural ingredients against latent viruses. To date, Novirin and Gene-Eden-VIR are the only natural antiviral products on the market with published clinical studies that support their claims.

New HPV infections are found in up to 39% of men every year. In men with healthy immune systems, HPV infections are cleared in 6 months or longer. However, in about 10% of all cases, when men have a weak immune system, HPV infections will persist. This can cause a variety of serious health problems. (3).

For men, an HPV infection can lead to conditions such as: genital warts, penile, anal, and oropharyngeal cancer (head and neck cancer) (3).

The CDC notes that "HPV may ... be passed on during oral sex and genital-to-genital contact. HPV can be passed on between straight and same-sex partners-even when the infected partner has no signs or symptoms." (4).

Are there treatments available against the HPV?

"There are no drugs approved against the HPV. Current treatments include procedures, such as cryotherapy, conization, and the Loop Electrosurgical Excision Procedure (LEEP). These procedures use liquid nitrogen, a surgical knife (scalpel), a carbon dioxide (CO2) laser, or electrical current to remove the abnormal growths caused by the HPV. These growths include cells that harbor the active virus. The procedures do not target cells with the latent virus. Since they do not remove the latent virus, these procedures only produce a temporary remission." (2) In contrast, Novirin and Gene-Eden-VIR were designed to target the latent HPV.

"We recommend that men of all ages practice safe sex, and take Gene-Eden-VIR or Novirin to help the immune system target the latent HPV." - Greg Bennett, CBCD

All orders of Gene-Eden-VIR and Novirin are completely confidential, and no information is shared or sold to any third party. Privacy is assured.

Reference:

- (1) Sgobba, C. "Why These Guys Might Be More Vulnerable to a Scary STD" Published February 23, 2015. Menshealth.com
- (2) Polansky, H. Itzkovitz, E. Gene-Eden-VIR Is Antiviral: Results of a Post Marketing Clinical Study. Published in September 2013.

http://www.scirp.org/journal/PaperInformation.aspx?PaperID=36101#.U-s9ouOSz90

- (3) CDC Human Papillomavirus (HPV) What is HPV? Last updated on February 5, 2013. http://www.cdc.gov/hpv/whatishpv.html
- (4) CDC Sexually Transmitted Diseases (STDs) Genital HPV Infection Fact Sheet. Last updated on July 25, 2013.

http://www.cdc.gov/std/HPV/STDFact-HPV.htm

Greg Bennett CBCD 585-250-9999 email us here

This press release can be viewed online at: http://www.einpresswire.com

Disclaimer: If you have any questions regarding information in this press release please contact the company listed in the press release. Please do not contact EIN Presswire. We will be unable to assist you with your inquiry. EIN Presswire disclaims any content contained in these releases. © 1995-2015 IPD Group, Inc. All Right Reserved.