

Herpes Virus Can Cause Inflammation of the Esophagus; CBCD Recommends Gene-Eden-VIR or Novirin

The inflammation and open sores of herpes esophagitis can cause pain and damage the throat tissues. (1)

ROCHESTER, NEW YORK, UNITED STATES OF AMERICA, July 29, 2015 /EINPresswire.com/ --

“Infected with the herpes simplex virus (HSV-1 or HSV-2)? The CBCD recommends taking [Gene-Eden-VIR](#) or [Novirin](#).” – Greg Bennett, CBCD

The herpes virus (HSV-1), which normally causes cold sores and fever blisters, can also damage the inner lining of the throat. When this happens, it is called herpes esophagitis. “Herpes esophagitis is a viral infection of the esophagus (the esophagus is the tube that leads to the stomach). The herpes simplex virus type 1 (HSV-1) causes herpes esophagitis. This is the same virus that causes cold sores and eye infections such as conjunctivitis. The inflammation and open sores of herpes esophagitis can cause pain and can damage the throat tissues. Herpes simplex virus type 2 (HSV-2) is another form of the virus, which causes genital herpes but does not cause herpes esophagitis.” (1)

Click to learn more about HSV symptoms.

One symptom of herpes esophagitis is difficulty in swallowing. Dr. Tariq Yousuf and colleagues wrote in a study that “when immunocompetent patients



(patients with a mostly healthy immune system) present with odynophagia (painful swallowing), the most common etiologies include pill induced esophagitis (inflammation of the esophagus), toxic ingestion or severe reflux esophagitis ... HSV is the most common cause of esophagitis typically from

causing problems with swallowing, ulcers, and scarring of the esophagus. In some instances, a condition known as Barrett's esophagus may develop, which is a risk factor for esophageal cancer.” (3)

Medline says that once an individual is infected with the herpes virus, “the virus hides within nerve cells and remains in the body. It can remain latent for a long time ... the virus can reactivate at any time. This may be triggered by: Fatigue, Genital irritation, Menstruation, Physical or emotional stress, Injury etc.” (4) Patient.co.uk points out that normally, HSV-1 causes cold sores and fever blisters that “are usually seen on the lips and extend to the skin around the mouth. Other areas on the face, chin, or nose are sometimes involved. Lesions begin as erythematous areas (abnormally red areas) that swell into papules. These become vesicles, which then collapse into ulcers. This takes 1-3 days. The ulcers crust over and the skin returns to normal within about two weeks.” (5)

The CBCD recommends that individuals infected with the herpes virus, realize the significant impact of the latent virus on their health, and not ignore it. Hence, the CBCD recommends that these individuals take Gene-Eden-VIR or Novirin. These natural herpes remedies have a natural, antiviral formula that was shown to safely and effectively reduce Herpes symptoms, such as those mentioned above, in two separate post-marketing clinical studies that followed FDA guidelines.

One mission of the CBCD is to help combat chronic diseases that are caused by latent viruses, such as the latent HSV. Therefore the Center strives to raise awareness about this, and other latent viruses and their effects. This is important because many people do not understand latency.

What is latency?

After an initial period of activity, herpes establishes what scientists call a latent infection. When a virus is latent, it behaves like it is sleeping. It is latent.

How does one defeat the [latent herpes virus](#)?

The best defense against a latent herpes infection is a healthy immune system. That's why the CBCD recommends taking Gene-Eden-VIR or Novirin.

The formula of Gene-Eden-VIR and Novirin was tested by Hanan Polansky and Edan Itzkovitz from the CBCD in two clinical studies that followed FDA guidelines. The studies showed that the formula of Novirin and Gene-Eden-VIR is effective against a broad range of latent viruses, including herpes viruses (HSV-1 and HSV-2). The clinical studies were published in the peer reviewed, medical journal Pharmacology & Pharmacy, the first, in a special edition on Advances in Antiviral Drugs. Study authors wrote that, “individuals infected with (a latent virus) ... reported a safe decrease in their symptoms following treatment...” (6) The study authors also wrote that, “we observed a statistically significant decrease in the severity, duration, and frequency of symptoms.” (6)

Both Gene-Eden-VIR and Novirin can be ordered online through their respective websites here:

<http://www.gene-eden-vir.com>

and

<http://www.novirin.com>

Gene-Eden-VIR and Novirin are natural antiviral dietary supplements. Their formula contains five natural ingredients: Selenium, Camellia Sinesis Extract, Quercetin, Cinnamomum Extract, and

Licorice Extract. The first ingredient is a trace element, and the other four are plant extracts. Each ingredient and its dose were chosen through a scientific approach. Scientists at polyDNA, the company that invented and patented the formula, scanned thousands of scientific and medical papers published in various medical and scientific journals, and identified the safest and most effective natural ingredients against latent viruses.

To date, Gene-Eden-VIR and Novirin are the only natural antiviral products on the market with published clinical studies that support their claims. Note: Novirin has the same formula as Gene-Eden-VIR. However, it contains higher quality and more expensive ingredients.

What treatments are currently available for herpes infections?

“Two types of antiviral treatments against HSV are available: topical and oral. The treatments include penciclovir, acyclovir, famciclovir, and valaciclovir. However, their effectiveness is limited. For instance, a meta-analysis of five placebo-controlled and two dose comparison studies evaluated the effect of aciclovir, famciclovir or valaciclovir on symptoms. The meta-analysis showed that oral antiviral therapy decreases the duration and the associated pain of an outbreak by merely one day.” (6). Gene-Eden-VIR and Novirin are oral supplements with a safe and effective formula designed to help the immune system target the latent herpes virus.

All orders of Gene-Eden-VIR and Novirin are completely confidential, and no information is shared or sold to any third party. Privacy is assured.

References:

(1) Roth, Erica "Herpes Esophagitis" Published on July 11, 2012 – healthline.com

(2) Tariq Yousufa, Arsalan Khana, Sarah Wanga, Brian Blumenstein "Herpes Esophagitis in an Immunocompetent Teenager." Journal of Medical Cases, ISSN 1923-4155 print, 1923-4163 online, Open Access.

<http://www.journalmc.org/index.php/JMC/article/view/2100/1488>

(3) WebMD.com - Esophagitis. Reviewed by William Blahd, MD on September 04, 2014

<http://www.webmd.com/digestive-disorders/esophagitis>

(4) Medline Plus - Genital herpes. Update Date: 7/8/2012

<http://wwwqa.nlm.nih.gov/medlineplus/276/ency/article/000857.htm>

(5) Patient.co.uk - Herpes Simplex Oral - Last reviewed 15/10/2013.

<http://www.patient.co.uk/doctor/herpes-simplex-oral>

(6) Polansky, H. Itzkovitz, E. Gene-Eden-VIR Is Antiviral: Results of a Post Marketing Clinical Study. Published in September 2013.

<http://www.scirp.org/journal/PaperInformation.aspx?PaperID=36101>

Greg Bennett
CBCD
585-250-9999
email us here

This press release can be viewed online at: <http://www.einpresswire.com>

Disclaimer: If you have any questions regarding information in this press release please contact the company listed in the press release. Please do not contact EIN Presswire. We will be unable to assist you with your inquiry. EIN Presswire disclaims any content contained in these releases.
© 1995-2015 IPD Group, Inc. All Right Reserved.

