

Genital Herpes Can Cause Brain Inflammation; The CBCD Reviews the Medical Evidence

Neurological manifestations may include altered levels of consciousness, cranial neuropathies, hemiparesis, and hemisensory loss. (1)

ROCHESTER, NEW YORK, UNITED STATES OF AMERICA, September 1, 2015 /EINPresswire.com/ --

“Infected with the herpes virus (HSV-1, or HSV-2)? The CBCD recommends taking [Gene-Eden-VIR](#) or [Novirin](#).” - Greg Bennett, CBCD

Most people associate the genital herpes virus (usually HSV-2) with painful sores that develop on the genitals. However, HSV-2 can also cause an intense inflammation of the brain called encephalitis. This can be a serious complication, because in some cases, encephalitis can be fatal. Dr. Joseph R. Berger and colleagues wrote that “Unlike HSV-1, HSV-2 affects mesial temporal or orbitofrontal lobes less often and may demonstrate a predilection for the brainstem. Herpes simplex encephalitis due to HSV-2 may occur without meningitic features. Neurological manifestations may include altered level of consciousness, cranial neuropathies, hemiparesis, and hemisensory loss.” (1) Dr. Berger is from the Department of Neurology at the University of Kentucky College of Medicine in Lexington.

One case of HSV-2 caused encephalitis was described in the following manner:

“A 37-year-old woman was admitted to the hospital with fever, diplopia, left hemiparesis, sensory change in the face and limbs, personality changes, frontal dysexecutive syndrome, and a stiff neck.” (2) The Center for the Biology of Chronic Disease (CBCD) recommends that individuals infected with the herpes virus, and who may be concerned about developing outbreaks or other symptoms associated with their infection, take Gene-Eden-VIR or Novirin. The formula of these natural antiviral products was shown to reduce symptoms associated with herpes infections in two separate post-marketing clinical



was designed to help the immune system target the latent form of the herpes virus.

Click to learn more about [HSV symptoms](#).

The formula of Novirin and Gene-Eden-VIR was tested by Hanan Polansky and Edan Itzkovitz from the CBCD. The studies showed that the Gene-Eden-VIR and Novirin formula is effective against the family of herpes viruses, including HSV-1 and HSV-2. The clinical studies were published in the peer reviewed, medical journal Pharmacology & Pharmacy, the first, in a special edition on Advances in Antiviral Drugs. Study authors wrote that, "individuals infected with (HSV-1 or HSV-2)...reported a safe decrease in their symptoms following treatment with Gene-Eden-VIR." (3) The study authors also wrote that, "we observed a statistically significant decrease in the severity, duration, and frequency of symptoms." (3)

Both products can be ordered online on the Novirin and Gene-Eden-VIR websites, here:

<http://www.gene-eden-vir.com>

or

<http://www.novirin.com>

Gene-Eden-VIR and Novirin are natural antiviral dietary supplements. Their formula contains five natural ingredients: Selenium, Camellia Sinensis Extract, Quercetin, Cinnamomum Extract, and Licorice Extract. The first ingredient is a trace element, and the other four are plant extracts. Each ingredient and its dose was chosen through a scientific approach. Scientists at polyDNA, the company that invented and patented the formula, scanned thousands of scientific and medical papers published in various medical and scientific journals, and identified the safest and most effective natural ingredients against latent viruses. To date, Gene-Eden-VIR and Novirin are the only natural antiviral products on the market with published clinical studies that support their claims.

Note: Novirin has the same formula as Gene-Eden-VIR. However, it contains higher quality and more expensive ingredients.

It is important that the public understands that "an estimated 45 million persons in the United States have genital herpes infection, with new infections occurring at an estimated rate of approximately 1 million per year. Approximately 85% to 90% of infections are unrecognized and therefore remain undiagnosed. Seropositivity for HSV-2 correlates with the number of sexual partners, the age of sexual debut, increasing age, black or Hispanic race, female sex, and the presence of other sexually transmitted diseases, including human immunodeficiency virus (HIV) infection." (1) In other words, a lot of people have herpes, and most of them don't know they have it. If an unsuspecting person's immune system becomes weak, they risk a herpes outbreak.

What treatments are available for herpes infections?

"Two types of antiviral treatments against HSV are available: topical and oral. The treatments include penciclovir, acyclovir, famciclovir, and valaciclovir. However, their effectiveness is limited. For instance, a meta-analysis of five placebo-controlled and two dose comparison studies evaluated the effect of aciclovir, famciclovir or valaciclovir on symptoms. The meta-analysis showed that oral antiviral therapy decreases the duration and the associated pain of an outbreak by merely one day." (3). There are also the natural supplements Novirin and Gene-Eden-VIR, which have a formula that was designed to help the immune system target the herpes virus when it is in a latent form.

The CBCD reminds the public that Gene-Eden-VIR and Novirin are not a cure. However, two clinical studies, published in peer reviewed medical journals showed that their formula decreases symptoms in infected individuals. Specifically, the formula of Gene-Eden-VIR and Novirin was shown to safely and effectively reduce herpes symptoms. Additionally, it was designed to help the immune system target the latent virus.

“We recommend that herpes infected individuals take Novirin or Gene-Eden-VIR against the latent virus.” – Greg Bennett, CBCD

Find us on Facebook here: <https://www.facebook.com/GeneEdenVIR>

All orders of these products are completely confidential, and no information is shared or sold to any third party. Privacy is assured.

References:

- (1) Joseph R. Berger, MD; Sidney Houff, MD, PhD "Neurological Complications of Herpes Simplex Virus Type 2 Infection" Clinical Implications of Basic Neuroscience Research May 2008
- (2) Chu K1, Kang DW, Lee JJ, Yoon BW. "Atypical brainstem encephalitis caused by herpes simplex virus 2." Arch Neurol. 2002 Mar;59(3):460-3.
- (3) Polansky, H. Itzkovitz, E. Gene-Eden-VIR Is Antiviral: Results of a Post Marketing Clinical Study. Published in September 2013.
<http://www.scirp.org/journal/PaperInformation.aspx?PaperID=36101>

Mike Davis
CBCD
585-250-9999
email us here

This press release can be viewed online at: <http://www.einpresswire.com>

Disclaimer: If you have any questions regarding information in this press release please contact the company listed in the press release. Please do not contact EIN Presswire. We will be unable to assist you with your inquiry. EIN Presswire disclaims any content contained in these releases.

© 1995-2015 IPD Group, Inc. All Right Reserved.



