

EBV May Cause Cancer in the Lining of the Lung; The CBCD Examines a Recent Study

The role of EBV in epithelial malignancies is complex and multifactorial in nature. (1)

ROCHESTER, NY, UNITED STATES,
November 17, 2015 /EINPresswire.com/
--

“Infected with the Epstein Barr Virus (EBV)? The CBCD recommends taking [Gene-Eden-VIR](#) or [Novirin](#).” – Greg Bennett, CBCD

Reviews of the available medical literature show that the Epstein-Barr Virus (EBV) is associated with a wide range of cancers. Some of these are epithelial cancers. As Dr. Sai-Wah Tsao and colleagues wrote in a study, “Epstein–Barr virus (EBV) is a human cancer-associated virus that infects (more than) 90% of the global population ... EBV is also consistently detected in LELCs of the salivary gland, lung and intrahepatic biliary epithelium.” (1) In other words, EBV is found on a regular basis in the cells that line the salivary gland, the lungs, and the bile duct system. This is important because “The close association of EBV infection ... (and) ... an inflammatory environment are involved in viral oncogenesis (a viral cause of cancer).” (1)

EBV is very common. “EBV infects B and T lymphocytes of more than 90% of the general population before adulthood. Primary infection results in transient viremia (a temporary, acute infection with clear symptoms) followed by a rapid

immune response.” (2) As noted above, EBV is also associated with a growing number of cancers.

EBV infection has two phases, acute/reactivation and latency. During the latent phase, the virus continues to replicate on a small scale, and produces only some of its proteins.



Eden-VIR or Novirin. The formula of these natural, antiviral supplements was designed to help the immune system target the latent form of the Epstein-Barr Virus.

Click to learn more about [EBV symptoms](#).

The formula of Gene-Eden-VIR and Novirin was tested by Hanan Polansky and Edan Itzkovitz from the CBCD in two clinical studies that followed FDA guidelines. The studies showed that the Novirin formula is effective against the herpes family of viruses. The Epstein Barr Virus (EBV) is a member of the herpes family. The clinical studies were published in the peer reviewed, medical journal Pharmacology & Pharmacy, the first, in a special edition on Advances in Antiviral Drugs. Study authors wrote that, "individuals infected with the EBV ... reported a safe decrease in their symptoms following treatment with (the formula of Novirin)." (3) The study authors also wrote that, "We observed a statistically significant decrease in the severity, duration, and frequency of symptoms." (3)

Gene-Eden-VIR and Novirin can be ordered online on their respective websites, here:

<http://www.gene-eden-vir.com>

and

<http://www.novirin.com>

Gene-Eden-VIR and Novirin are natural antiviral dietary supplements. Their shared formula contains five natural ingredients: Selenium, Camellia Sinesis Extract, Quercetin, Cinnamomum Extract, and Licorice Extract. The first ingredient is a trace element, and the other four are plant extracts. Each ingredient and its dose was chosen through a scientific approach. Scientists at polyDNA, the company that invented and patented the formula, scanned thousands of scientific and medical papers published in various medical and scientific journals, and identified the safest and most effective natural ingredients against latent viruses. To date, Gene-Eden-VIR and Novirin are the only natural antiviral products on the market with published clinical studies that support their claims.

The CDC notes that "Epstein-Barr Virus (EBV), also known as human herpesvirus 4, is a member of the herpes virus family. It is one of the most common human viruses. EBV is found all over the world. Most people get infected with EBV at some point in their lives." (4)

What treatments are available for EBV infections?

"A few antiviral drugs are available that were shown to inhibit EBV replication in cell culture. These drugs include the acyclic nucleoside analogues aciclovir, ganciclovir, penciclovir, and their respective prodrugs valaciclovir, valganciclovir and famciclovir, the acyclic nucleotide analogues cidofovir and adefovir, and the pyrophosphate analogue foscarnet. However, clinical studies have shown that these drugs are mostly ineffective in humans." (3) There are also natural antiviral products that studies show to be safe and effective in reducing EBV symptoms. Two of these products are Novirin and Gene-Eden-VIR.

"Based on the results of these medical reviews, and the CBCD's own research, we recommend that individuals infected with the latent virus take Gene-Eden-VIR or Novirin." - Greg Bennett, CBCD

Find us on Facebook here: <https://www.facebook.com/GeneEdenVIR>

Follow us Twitter on here: @HananPolansky

All orders of these products are completely confidential, and no information is shared or sold to any

third party. Privacy is assured.

References:

- (1) Tsao SW1, Tsang CM, To KF, Lo KW. "The role of Epstein-Barr virus in epithelial malignancies." J Pathol. 2015 Jan;235(2):323-33.
- (2) Donald H Gilden*, Ravi Mahalingam, Randall J Cohrs and Kenneth L Tyler "Herpesvirus infections of the nervous system" Nature Clinical Practice Neurology (2007) 3, 82-94
- (3) Polansky, H. Itzkovitz, E. Gene-Eden-VIR Is Antiviral: Results of a Post Marketing Clinical Study. Published in September 2013.
<http://www.scirp.org/journal/PaperInformation.aspx?PaperID=36101>
- (4) CDC.com - About Epstein-Barr Virus (EBV). Last updated January 6, 2014.

Greg Bennett
CBCD
585-250-9999
email us here

This press release can be viewed online at: <http://www.einpresswire.com>

Disclaimer: If you have any questions regarding information in this press release please contact the company listed in the press release. Please do not contact EIN Presswire. We will be unable to assist you with your inquiry. EIN Presswire disclaims any content contained in these releases.

© 1995-2015 IPD Group, Inc. All Right Reserved.

