

Genital Herpes Virus Can Wake Up in the Mouth; The CBCD Reviews a Study

HSV-2 can reactivate in the mouth, and "usually occurs in the setting of first episode of genital HSV-2." (1)

ROCHESTER, NY, UNITED STATES, November 20, 2015 /EINPresswire.com/

"Infected with the herpes simplex virus (HSV-1 or HSV-2)? The CBCD recommends taking <u>Gene-Eden-VIR</u> or <u>Novirin</u> against the latent virus." – Greg Bennett, CBCD

HSV-1 is commonly associated with oral herpes. However, HSV-2, which usually causes genital herpes, can also infect the mouth. Individuals can transmit the virus to partners, although this is rare. Dr. Wald and colleagues wrote that "Oral reactivation of HSV-2 as defined by viral isolation is uncommon and usually occurs in the setting of first episode of genital HSV-2 or during genital recurrence of HSV-2." (1) Dr. Wald is from the University of Washington Virology Research Clinic.

What does the research of Dr. Wald mean? It means that while rare, it is possible for the latent HSV-2 to "wake up" in the mouth and begin making copies of itself. This can allow a person to transmit the virus to others through kissing, especially if sores are evident. The Center for the Biology of Chronic Disease (CBCD) recommends that anyone who experiences an oral herpes outbreak due to HSV-2 take





Gene-Eden-VIR or Novirin. The formula of these natural antiviral products was shown to reduce HSV symptoms in two separate post-marketing clinical studies that followed FDA guidelines. Additionally, it was designed to help the immune system target the latent form of the virus.

Click to learn more about herpes symptoms.

studies showed that the Gene-Eden-VIR and Novirin formula is effective against the family of herpes viruses, including HSV-1 and HSV-2. The clinical studies were published in the peer reviewed, medical journal Pharmacology & Pharmacy, the first, in a special edition on Advances in Antiviral Drugs. Study authors wrote that, "individuals infected with (HSV-1 or HSV-2)...reported a safe decrease in their symptoms following treatment with Gene-Eden-VIR." (2) The study authors also wrote that, "We observed a statistically significant decrease in the severity, duration, and frequency of symptoms." (2)

Both products can be ordered online on the Gene-Eden-VIR and Novirin websites, here:

http://www.gene-eden-vir.com

and

http://www.novirin.com

Gene-Eden-VIR and Novirin are natural antiviral dietary supplements. Their formula contains five natural ingredients: Selenium, Camellia Sinensis Extract, Quercetin, Cinnamomum Extract, and Licorice Extract. The first ingredient is a trace element, and the other four are plant extracts. Each ingredient and its dose was chosen through a scientific approach. Scientists at polyDNA, the company that invented and patented the formula, scanned thousands of scientific and medical papers published in various medical and scientific journals, and identified the safest and most effective natural ingredients against latent viruses. To date, Gene-Eden-VIR and Novirin are the only natural antiviral products on the market with published clinical studies that support their claims.

Note: Novirin shares the same formula as Gene-Eden-VIR. The difference between the two is that Novirin has higher quality and more expensive ingredients.

Oral herpes sores can occur on the lips, gums, throat, the front of the tongue, the inside of the cheeks, and the roof of the mouth. This is true for both HSV-1 and HSV-2. "They can also extend down the chin and neck. The gums can become mildly swollen, red-colored, and may bleed. Neck lymph nodes often swell and become painful. People in their teens and 20s can develop a painful throat with shallow ulcers and a grayish coating on the tonsils." (3)

What treatments are available for herpes infections?

"Two types of antiviral treatments against HSV are available: topical and oral. The treatments include penciclovir, acyclovir, famciclovir, and valaciclovir. However, their effectiveness is limited. For instance, a meta-analysis of five placebo-controlled and two dose comparison studies evaluated the effect of aciclovir, famciclovir or valaciclovir on symptoms. The meta-analysis showed that oral antiviral therapy decreases the duration and the associated pain of an outbreak by merely one day." (2) There are also the natural supplements Novirin and Gene-Eden-VIR, which have a formula that was designed to help the immune system target the herpes virus when it is in a latent form.

The CBCD reminds the public that Gene-Eden-VIR and Novirin are not a cure. However, two clinical studies, published in peer reviewed medical journals showed that their formula decreases symptoms in infected individuals. Specifically, the formula of Gene-Eden-VIR and Novirin was shown to safely and effectively reduce herpes symptoms. Additionally, it was designed to help the immune system target the latent virus.

"We recommend that individuals who are infected with a latent herpes virus, take Gene-Eden-VIR or Novirin." – Greg Bennett, CBCD

Find us on Facebook here: https://www.facebook.com/GeneEdenVIR

Follow us Twitter here: @HananPolansky

All orders of these products are completely confidential, and no information is shared or sold to any third party. Privacy is assured.

References:

- (1) A Wald, M Ericsson, E Krantz, S Selke, and L Corey "Oral shedding of herpes simplex virus type 2" Sex Transm Infect. 2004 Aug; 80(4): 272–276
- (2) Polansky, H. Itzkovitz, E. Gene-Eden-VIR Is Antiviral: Results of a Post Marketing Clinical Study. Published in September 2013. http://www.scirp.org/journal/PaperInformation.aspx?PaperID=36101
- (3) Emedicinehealth.com Oral Herpes Oral Herpes (HSV-1, Herpes Simplex Virus-1) Symptoms and Signs

Greg Bennett CBCD 585-250-9999 email us here

This press release can be viewed online at: http://www.einpresswire.com

Disclaimer: If you have any questions regarding information in this press release please contact the company listed in the press release. Please do not contact EIN Presswire. We will be unable to assist you with your inquiry. EIN Presswire disclaims any content contained in these releases. © 1995-2015 IPD Group, Inc. All Right Reserved.