

## Cancer Causing HPV Found in 93% of Infected Transsexuals; The CBCD Reviews a Report

Additionally, more than one-third of HPVpositive transsexuals were infected with at least one of the four vaccinepreventable strains. (1)

ROCHESTER, NY, UNITED STATES, November 25, 2015 /EINPresswire.com/

"Infected with the herpes virus (HSV-1 or HSV-2)? The CBCD recommends taking Gene-Eden-VIR or Novirin." - Greg Bennett, CBCD

According to a study, the majority of transsexual individuals infected with the human papillomavirus (HPV), are infected with a cancer causing strain of the virus. As Dr. Loverro and colleagues noted, "Oncogenic HPV genotypes have been detected in 93% of HPV-positive transsexuals ... (and) ... the high rate of detectable HPV DNA by oncogenic types suggests that periodic cytological screening and clinical evaluation may be necessary since transsexuals are at high risk of anogenital cancer. (1) Dr. Loverro is from the Department of Biomedical Science and Human Oncology at the University of Bari Aldo Moro-Policlinico in Italy.

Sometimes it can take years after an infection with the human papillomavirus (HPV) before an individual develops any kind of symptoms. Even if the person does develop symptoms, the genital warts may develop inside the vagina, or inside the anus where a person cannot see them. If a person suspects that they





have developed genital warts, they should see a doctor immediately to get an accurate diagnosis. It should be noted that "the most common places for warts to develop in women are: around the vulva (the opening of the vagina), on the cervix (the entrance to the womb), inside the vagina, around or inside the anus, on the upper thighs. And in men: on the penis, on the scrotum, inside the urethra, (the tube that urine flows through), around or inside the anus,

recommends that anyone who may be concerned about an HPV infection, which can cause genital warts and other symptoms, take Gene-Eden-VIR or Novirin. The formula of these natural, andtiviral products was shown to reduce symptoms associated with HPV infection in two separate post-marketing clinical studies that followed FDA guidelines. Additionally, it was designed to help the immune system target the latent HPV.

Click to learn more about <u>HPV symptoms</u>.

The formula of these natural antiviral products was tested by Hanan Polansky and Edan Itzkovitz from the CBCD in two clinical studies that followed FDA guidelines. The studies showed that the Novirin and Gene-Eden-VIR formula is effective against the HPV and other viruses. The clinical studies were published in the peer reviewed, medical journal Pharmacology & Pharmacy, the first, in a special edition on Advances in Antiviral Drugs. Study authors wrote that, "individuals infected with the HPV...reported a safe decrease in their symptoms following treatment with Gene-Eden-VIR." (3) The study authors also wrote that "we observed a statistically significant decrease in the severity, duration, and frequency of symptoms." (3)

Both products can be ordered online on the Novirin and Gene-Eden-VIR websites here:

http://www.novirin.com

and

## http://www.gene-eden-vir.com

Novirin and Gene-Eden-VIR are natural antiviral dietary supplements. Their formula contains five natural ingredients: Selenium, Camellia Sinesis Extract, Quercetin, Cinnamomum Extract, and Licorice Extract. The first ingredient is a trace element, and the other four are plant extracts. Each ingredient and its dose was chosen through a scientific approach. Scientists at polyDNA, the company that invented and patented the formula, scanned thousands of scientific and medical papers published in various medical and scientific journals, and identified the safest and most effective natural ingredients against latent viruses. To date, Novirin and Gene-Eden-VIR are the only natural antiviral products on the market with published clinical studies that support their claims.

Note: Novirin has the same formula as Gene-Eden-VIR. However, it contains higher quality and more expensive ingredients.

"Most people who are infected with genital HPV never know it; their virus does not call attention to itself in any way. In most cases, a person is diagnosed with HPV only because some troubling symptom drove him or her to a health care professional, or some abnormality was revealed in the course of a routine exam." (1) Additionally, immunize.org notes that "For people who are sexually active, a long-term, mutually monogamous relationship with an uninfected partner is the strategy most likely to prevent future genital HPV infections. However, it is difficult to determine whether a partner who has been sexually active with another partner in the past is currently infected." (4)

Avert.org recommends that anyone who suspects that he or she has developed genital warts should see a doctor right away. That individual should never try to diagnose his or herself. (2)

What Current Treatments are Available for HPV infections?

"There are no drugs approved against the HPV. Current treatments include procedures, such as cryotherapy, conization, and the Loop Electrosurgical Excision Procedure (LEEP). These procedures

use liquid nitrogen, a surgical knife (scalpel), a carbon dioxide (CO2) laser, or electrical current to remove the abnormal growths caused by the HPV. These growths include cells that harbor the active virus. The procedures do not target cells with the latent virus. Since they do not remove the latent virus, these procedures only produce a temporary remission." (3) In contrast, Novirin and Gene-Eden-VIR were designed to target the latent HPV, and were shown to reduce HPV symptoms in two separate post-marketing clinical studies that followed FDA guidelines.

The CBCD therefore recommends that HPV infected individuals take Novirin or Gene-Eden-VIR.

Find us on Facebook here: <a href="https://www.facebook.com/GeneEdenVIR">https://www.facebook.com/GeneEdenVIR</a>

Follow us Twitter here: @HananPolansky

All orders of Gene-Eden-VIR and Novirin are completely confidential, and no information is shared or sold to any third party. Privacy is assured.

## References:

- (1) Loverro G1, Di Naro E1, Caringella AM1, De Robertis AL2, Loconsole D2, Chironna M2. "Prevalence of human papillomavirus infection in a clinic sample of transsexuals in Italy." Sex Transm Infect. 2015 Jul 22. pii: sextrans-2014-051987
- (2) Avert.org Genital warts Page last reviewed:01 May 2015
- (3) Polansky H, Itzkovitz E. Gene-Eden-VIR Is Antiviral: Results of a Post Marketing Clinical Study. Pharmacology & Pharmacy, 2013, 4, 1-8<a href="http://dx.doi.org/10.4236/pp.2013.46A001">http://dx.doi.org/10.4236/pp.2013.46A001</a>
- (4) Immunize.org "Human Papillomavirus (HPV): Questions and Answers

Greg Bennett CBCD 585-250-9999 email us here

This press release can be viewed online at: http://www.einpresswire.com

Disclaimer: If you have any questions regarding information in this press release please contact the company listed in the press release. Please do not contact EIN Presswire. We will be unable to assist you with your inquiry. EIN Presswire disclaims any content contained in these releases. © 1995-2015 IPD Group, Inc. All Right Reserved.