

Can Oral Herpes Cause Genital Herpes?; The CBCD Reviews the Medical Evidence

Research shows that HSV-1 can be transmitted to the genitals during oral sex.


ROCHESTER, NEW YORK, UNITED STATES OF AMERICA, April 24, 2016 /EINPresswire.com/ --

"Infected with the herpes simplex virus (HSV-1 or HSV-2)? The CBCD recommends taking [Gene-Eden-VIR](#) or [Novirin](#) against the latent virus." – Greg Bennett, CBCD

Herpes labialis, the technical term for oral herpes, usually caused by HSV-1, is the condition that normally causes cold sores and fever blisters. Medical evidence shows that HSV-1 can be transferred to the genitals, causing a form of genital herpes, through oral sex. (1) Some people may have the mistaken belief that when herpes is transmitted from the mouth to the genitals, that HSV-1 becomes HSV-2. This is not the case. One strain of the virus does not become the other. Additionally, although the two strains of herpes are almost identical, tiny distinctions actually cause differences in the severity and frequency of outbreaks.

Click to learn more about [herpes symptoms](#).

For example, "most people infected with HSV-1 in the genital area have few, if any, outbreaks after the initial episode, far fewer than is typical with either oral HSV-1 or genital HSV-2. While experts estimate that some 30% of genital herpes infections in the United States may be caused by HSV-1, only 2- 5% of recurring genital outbreaks are caused by HSV-1. Research conducted by Lawrence Corey, MD, and colleagues at the University of Washington in Seattle shows that genital HSV-2 recurs 10 times more often than genital HSV-1." (2)



herpes virus. The formula of these natural, antiviral products was shown to reduce herpes symptoms in two separate post-marketing clinical studies that followed FDA guidelines. In addition, it was designed to help the immune system target the latent form of the herpes virus.

The formula of Gene-Eden-VIR and Novirin was tested by Hanan Polansky and Edan Itzkovitz from the CBCD. The studies showed that the Gene-Eden-VIR and Novirin formula is effective against the family of herpes viruses, including HSV-1. The clinical studies were published in the peer reviewed, medical journal *Pharmacology & Pharmacy*, the first, in a special edition on *Advances in Antiviral Drugs*. Study authors wrote that, “individuals infected with (HSV-1 or HSV-2)...reported a safe decrease in their symptoms following treatment with Gene-Eden-VIR.” (3) The study authors also wrote that, “We observed a statistically significant decrease in the severity, duration, and frequency of symptoms.” (3)

Both products can be ordered online on the Gene-Eden-VIR and Novirin websites, here:

<http://www.gene-eden-vir.com>

and

<http://www.novirin.com>

Gene-Eden-VIR and Novirin are natural antiviral dietary supplements. Their formula contains five natural ingredients: Selenium, Camellia Sinensis Extract, Quercetin, Cinnamomum Extract, and Licorice Extract. The first ingredient is a trace element, and the other four are plant extracts. Each ingredient and its dose was chosen through a scientific approach. Scientists at polyDNA, the company that invented and patented the formula, scanned thousands of scientific and medical papers published in various medical and scientific journals, and identified the safest and most effective natural ingredients against latent viruses. To date, Gene-Eden-VIR and Novirin are the only natural antiviral products on the market with published clinical studies that support their claims.

Note: Novirin shares the same formula as Gene-Eden-VIR. The difference between the two is that Novirin has higher quality and more expensive ingredients.

Individuals should be aware that both HSV-1 and HSV-2 “are most contagious during active outbreaks, but are often spread through viral shedding when there are no recognizable symptoms. According to Spruance, people with recurrent oral HSV-1 shed virus in their saliva about 5% of the time even when they show no symptoms. In the first year of infection, people with genital HSV-2 shed virus from the genital area about 6-10% of days when they show no symptoms, and less often over time.” (2)

What treatments are available for herpes infections?

“Two types of antiviral treatments against HSV are available: topical and oral. The treatments include penciclovir, acyclovir, famciclovir, and valaciclovir. However, their effectiveness is limited. For instance, a meta-analysis of five placebo-controlled and two dose comparison studies evaluated the effect of aciclovir, famciclovir or valaciclovir on symptoms. The meta-analysis showed that oral antiviral therapy decreases the duration and the associated pain of an outbreak by merely one day.” (3) There are also the natural supplements Novirin and Gene-Eden-VIR, which have a formula that was designed to help the immune system target the herpes virus when it is in a latent form.

The CBCD reminds the public that Gene-Eden-VIR and Novirin are not a cure. However, two clinical studies, published in peer reviewed medical journals showed that their formula decreases symptoms

in infected individuals. Specifically, the formula of Gene-Eden-VIR and Novirin was shown to safely and effectively reduce herpes symptoms. Additionally, it was designed to help the immune system target the latent virus.

"We recommend that individuals who are infected with a latent herpes virus, take Gene-Eden-VIR or Novirin." – Greg Bennett, CBCD

Find us on Facebook here: <https://www.facebook.com/GeneEdenVIR>

Follow us Twitter here: @HananPolansky

All orders of these products are completely confidential, and no information is shared or sold to any third party. Privacy is assured.

References:

(1) Patient

<http://patient.info/doctor/genital-herpes-simplex>

(2) Herpes HSV-1 & HSV-2

<http://www.herpes.com/hsv1-2.html>

(3) Polansky, H. Itzkovitz, E. Gene-Eden-VIR Is Antiviral: Results of a Post Marketing Clinical Study. Published in September 2013.

<http://www.scirp.org/journal/PaperInformation.aspx?PaperID=36101>

Greg Bennett

CBCD

585-250-9999

email us here

This press release can be viewed online at: <http://www.einpresswire.com>

Disclaimer: If you have any questions regarding information in this press release please contact the company listed in the press release. Please do not contact EIN Presswire. We will be unable to assist you with your inquiry. EIN Presswire disclaims any content contained in these releases.

© 1995-2016 IPD Group, Inc. All Right Reserved.



