

# EBV is Linked to Lupus in Women of Reproductive Age; The CBCD Reviews the Medical Literature

*“Epstein-Barr virus (EBV) is especially associated with Systemic Lupus Erythematosus (SLE).” (1)*

ROCHESTER, NEW YORK, UNITED STATES OF AMERICA, April 28, 2016 /EINPresswire.com/ -- “Infected with the EBV virus? We recommend taking [Gene-Eden-VIR](#) or [Novirin](#).” – Greg Bennett, CBCD

Numerous studies have shown a link between higher numbers of Epstein-Barr Virus (EBV) in the blood, and the development of Systemic Lupus Erythematosus (SLE). Lupus is an autoimmune disease where the body attacks its own tissues. The link between the virus and the disease is seen most often in women during child bearing age. Dr. Draborg and colleagues wrote that this link includes “abnormally elevated viral load, pronounced EBV-directed antibody responses, and deficient EBV-specific T-cell responses.” (1) Most importantly, studies have shown that more than 99.5% of lupus patients are infected with the Epstein-Barr Virus.

Click to learn more about [EBV symptoms](#).

EBV is not the only virus to be implicated in the development of SLE. In fact, both the herpes zoster virus (HZV) and the human cytomegalovirus (CMV) have also been linked to lupus. As the Johns Hopkins Lupus Center notes, “certain environmental factors have been linked to the development of lupus ... infectious disease agents such as the Epstein Barr Virus (EBV, which causes mononucleosis or “mono”), herpes zoster virus (the virus that causes shingles), and cytomegalovirus have also been implicated.” (2)



However, of these viruses, infection with the Epstein-Barr

common human viruses. EBV is found all over the world. Most people get infected with EBV at some point in their lives.” (3) The Center for the Biology of Chronic Disease (CBCD) therefore recommends that individuals infected with EBV take Gene-Eden-VIR or Novirin against the latent Epstein-Barr Virus. The formula of these natural, antiviral products was shown to reduce EBV symptoms in two separate post-marketing clinical studies that followed FDA guidelines. Additionally, the formula was designed to help the immune system target the latent form of the virus.

The formula of Gene-Eden-VIR and Novirin was tested by Hanan Polansky and Edan Itzkovitz from the CBCD. The studies showed that the formula of Gene-Eden-VIR and Novirin is effective against the herpes family of viruses. The Epstein Barr Virus (EBV) is a member of the herpes family. The clinical studies were published in the peer reviewed, medical journal Pharmacology & Pharmacy, the first, in a special edition on Advances in Antiviral Drugs. Study authors wrote that, “individuals infected with the EBV ... reported a safe decrease in their symptoms following treatment with (the formula of Novirin).” (4) The study authors also wrote that, “We observed a statistically significant decrease in the severity, duration, and frequency of symptoms.” (4)

Both products can be ordered through their websites here:

<http://www.gene-eden-vir.com>

and

<http://www.novirin.com>

Gene-Eden-VIR and Novirin are natural antiviral dietary supplements. Their formula contains five natural ingredients: Selenium, Camellia Sinesis Extract, Quercetin, Cinnamomum Extract, and Licorice Extract. The first ingredient is a trace element, and the other four are plant extracts. Each ingredient and its dose was chosen through a scientific approach. Scientists at polyDNA, the company that invented and patented the formula, scanned thousands of scientific and medical papers published in various medical and scientific journals, and identified the safest and most effective natural ingredients against latent viruses.

To date, Gene-Eden-VIR and Novirin are the only natural antiviral products on the market with published clinical studies that support their claims.

What treatments are available for EBV infections?

“A few antiviral drugs are available that were shown to inhibit EBV replication in cell culture. These drugs include the acyclic nucleoside analogues aciclovir, ganciclovir, penciclovir, and their respective prodrugs valaciclovir, valganciclovir and famciclovir, the acyclic nucleotide analogues cidofovir and adefovir, and the pyrophosphate analogue foscarnet. However, clinical studies have shown that these drugs are mostly ineffective in humans.” (4) There are also natural antiviral products that studies show to be safe and effective in reducing EBV symptoms. Two of these products are Novirin and Gene-Eden-VIR.

Find us on Facebook here: <https://www.facebook.com/GeneEdenVIR>

Follow us on Twitter here: @HananPolansky

“The CBCD recommends that people who have lupus, and who have had a blood test to confirm the presence of EBV, take Gene-Eden-VIR or Novirin against the latent Epstein-Barr Virus.” – Greg Bennett, CBCD

All orders of these products are completely confidential, and no information is shared or sold to any third party. Privacy is assured.

References:

(1) Draborg, A. H., N. Sandhu, N. Larsen, J. Lisander Larsen, S. Jacobsen, and G. Houen. "Impaired Cytokine Responses to Epstein-Barr Virus Antigens in Systemic Lupus Erythematosus Patients." *Journal of Immunology Research*(2016). Pubmed. Web. 27 Apr. 2016.

(2) Johns Hopkins Lupus Center - Causes of Lupus.  
<http://www.hopkinslupus.org/lupus-info/lupus/>

(3) CDC.com - About Epstein-Barr Virus (EBV). Last updated January 6, 2014.  
<http://www.cdc.gov/epstein-barr/about-ebv.html>

(4) Polansky, H. Itzkovitz, E. Gene-Eden-VIR Is Antiviral: Results of a Post Marketing Clinical Study. Published in September 2013.  
<http://www.scirp.org/journal/PaperInformation.aspx?PaperID=36101>

Greg Bennett  
CBCD  
585-250-9999  
email us here

---

This press release can be viewed online at: <http://www.einpresswire.com>

Disclaimer: If you have any questions regarding information in this press release please contact the company listed in the press release. Please do not contact EIN Presswire. We will be unable to assist you with your inquiry. EIN Presswire disclaims any content contained in these releases.

© 1995-2016 IPD Group, Inc. All Right Reserved.



