

# Herpes Virus Can be Transmitted by Symptom Free Individuals; The CBCD Reviews the Medical Evidence

*“The virus is frequently shed from genital surfaces even in the absence of signs or symptoms of clinical disease .” (1)*

ROCHESTER, NEW YORK, UNITED STATES OF AMERICA, April 28, 2016 /EINPresswire.com/ --

“Infected with the herpes simplex virus (HSV-1 or HSV-2)? The CBCD recommends taking [Gene-Eden-VIR](#) or [Novirin](#) against the latent virus.” – Greg Bennett, CBCD

An individual infected with the herpes virus (HSV-1 or HSV-2) can transmit the virus to others even when there are no visible symptoms. This means that even when there are no genital sores, no fever blisters, no cold sores, etc. a person can still pass the virus to others. Dr. Christine Johnson and Lawrence Corey wrote in a medical review that “recent studies have demonstrated that the virus is frequently shed from genital surfaces even in the absence of signs or symptoms of clinical disease and that the virus can be transmitted during these periods of shedding.” (1)

Click to learn more about [herpes symptoms](#).

WebMD goes further, and provides advice for those who are infected and still want to have sex. “Between outbreaks, it's OK to have sex, as long as your partner understands and accepts the risk. For example, as long as you don't have herpes sores on your mouth, you can perform oral sex on your partner, including when you have an outbreak of genital symptoms. But your partner can be infected with herpes even when you don't have symptoms or sores. To help prevent that, always use a latex condom for vaginal sex, anal sex, and receiving fellatio. Condoms are not guaranteed to prevent infection. but research has shown that they provide some



infection. but research has shown that they provide some

The Center for the Biology of Chronic Disease (CBCD) recommends that individuals infected with a strain of the herpes virus take Gene-Eden-VIR or Novirin. The formula of these natural, antiviral products was shown to reduce HSV symptoms in two separate post-marketing clinical studies that followed FDA guidelines. Additionally, it was designed to help the immune system target the latent form of the virus.

The formula of Gene-Eden-VIR and Novirin was tested by Hanan Polansky and Edan Itzkovitz from the CBCD. The studies showed that the Gene-Eden-VIR and Novirin formula is effective against the family of herpes viruses, including HSV-1. The clinical studies were published in the peer reviewed, medical journal Pharmacology & Pharmacy, the first, in a special edition on Advances in Antiviral Drugs. Study authors wrote that, "individuals infected with (HSV-1 or HSV-2)...reported a safe decrease in their symptoms following treatment with Gene-Eden-VIR." (3) The study authors also wrote that, "We observed a statistically significant decrease in the severity, duration, and frequency of symptoms." (3)

Both products can be ordered online on the Gene-Eden-VIR and Novirin websites, here:

<http://www.gene-eden-vir.com>

and

<http://www.novirin.com>

Gene-Eden-VIR and Novirin are natural antiviral dietary supplements. Their formula contains five natural ingredients: Selenium, Camellia Sinensis Extract, Quercetin, Cinnamomum Extract, and Licorice Extract. The first ingredient is a trace element, and the other four are plant extracts. Each ingredient and its dose was chosen through a scientific approach. Scientists at polyDNA, the company that invented and patented the formula, scanned thousands of scientific and medical papers published in various medical and scientific journals, and identified the safest and most effective natural ingredients against latent viruses. To date, Gene-Eden-VIR and Novirin are the only natural antiviral products on the market with published clinical studies that support their claims.

Note: Novirin shares the same formula as Gene-Eden-VIR. The difference between the two is that Novirin has higher quality and more expensive ingredients.

Dr. Leone, in an interview with NPR noted that when it comes to herpes, there really is no such thing as "safe sex."

"I like to use the term safer sex because I don't think that sex is ever entirely safe for lots of reasons, but condoms reduce the risk of transmission by about 50 percent. Depending on the studies, it looks like it's 25 to 50 percent. It's not a hundred percent. But that requires that you use them, use them consistently, and recognize that just because you think you don't have herpes, or you may ask your partner if they have it, doesn't mean that either one of you don't have the infection." (4)

What treatments are available for herpes infections?

"Two types of antiviral treatments against HSV are available: topical and oral. The treatments include penciclovir, acyclovir, famciclovir, and valaciclovir. However, their effectiveness is limited. For instance, a meta-analysis of five placebo-controlled and two dose comparison studies evaluated the effect of aciclovir, famciclovir or valaciclovir on symptoms. The meta-analysis showed that oral antiviral therapy decreases the duration and the associated pain of an outbreak by merely one day." (3) There are also the natural supplements Novirin and Gene-Eden-VIR, which have a formula that was designed to help

the immune system target the herpes virus when it is in a latent form.

The CBCD reminds the public that Gene-Eden-VIR and Novirin are not a cure. However, two clinical studies, published in peer reviewed medical journals showed that their formula decreases symptoms in infected individuals. Specifically, the formula of Gene-Eden-VIR and Novirin was shown to safely and effectively reduce herpes symptoms. Additionally, it was designed to help the immune system target the latent virus.

“We recommend that individuals who are infected with a latent herpes virus, take Gene-Eden-VIR or Novirin.” – Greg Bennett, CBCD

Find us on Facebook here: <https://www.facebook.com/GeneEdenVIR>

Follow us Twitter here: @HananPolansky

All orders of these products are completely confidential, and no information is shared or sold to any third party. Privacy is assured.

#### References:

(1) Johnson, Christine, and Lawrence Corey. "Current Concepts for Genital Herpes Simplex Virus Infection: Diagnostics and Pathogenesis of Genital Tract Shedding." *Clinical Microbiology Reviews* (November 11, 2015). Pubmed. Web. 27 Apr. 2016.

(2) WebMD

<http://www.webmd.com/genital-herpes/guide/genital-herpes-sex-life>

(3) Polansky, H. Itzkovitz, E. Gene-Eden-VIR Is Antiviral: Results of a Post Marketing Clinical Study. Published in September 2013.

<http://www.scirp.org/journal/PaperInformation.aspx?PaperID=36101>

(4) NPR

<http://www.npr.org/2011/04/15/135442942/even-without-symptoms-genital-herpes-can-spread>

Greg Bennett  
CBCD  
585-250-9999  
email us here

---

This press release can be viewed online at: <http://www.einpresswire.com>

Disclaimer: If you have any questions regarding information in this press release please contact the company listed in the press release. Please do not contact EIN Presswire. We will be unable to assist you with your inquiry. EIN Presswire disclaims any content contained in these releases.

© 1995-2016 IPD Group, Inc. All Right Reserved.



