

HPV: Do Genital Warts Bleed?; The CBCD Examines the Medical Evidence

Genital warts may cause mild pain, bleeding, and itching. (1)

ROCHESTER, NEW YORK, UNITED STATES OF AMERICA, May 6, 2016 /EINPresswire.com/ --

"Infected with the human papillomavirus (HPV)? The CBCD recommends taking [Gene-Eden-VIR](#) or [Novirin](#)." - Greg Bennett, CBCD

In many cases, individuals with genital warts, which are caused by the human papillomavirus (HPV) may notice that the warts bleed. WebMD notes that genital warts "often appear in clusters of three or four, and may grow and spread rapidly. They usually are not painful, although they may cause mild pain, bleeding, and itching." (1) Additionally, according to Patient.co.uk, "warts can bleed or cause pain on intercourse. If you have warts inside your anus, this can sometimes cause bleeding when you go to the toilet. If you have warts inside the tube from which your urine is passed (urethra), the stream of urine may be different, or there may be bleeding." (2) Thus, an infection with the human papillomavirus (HPV) is not a good thing. In fact, an infection can lead to more than just genital warts. It can also lead to cancer.

Click to learn more about [HPV symptoms](#).

How many people actually develop a disease due to HPV?



The CDC says that "every year, about 17,600 women and 9,300 men are affected by cancers caused by HPV. About 180,000 women and 160,000 men are affected by genital warts caused by HPV every year. Also, about 1 in 100 sexually active adults in the United States have genital warts at any given time." (3) The Center for the Biology of Chronic Disease (CBCD) recommends that individuals who are infected with HPV, or who believe they may be infected,

separate post-marketing clinical studies that followed FDA guidelines. (4)

The studies showed that the Novirin and Gene-Eden-VIR formula is effective against the HPV and other viruses. The clinical studies were published in the peer reviewed, medical journal Pharmacology & Pharmacy, the first, in a special edition on Advances in Antiviral Drugs. Study authors wrote that, “individuals infected with the HPV...reported a safe decrease in their symptoms following treatment with Gene-Eden-VIR.” (4) The study authors also wrote that “we observed a statistically significant decrease in the severity, duration, and frequency of symptoms.” (4)

Both products can be ordered online on the Novirin and Gene-Eden-VIR websites, here:

<http://www.gene-eden-vir.com>

and

<http://www.novirin.com>

Novirin and Gene-Eden-VIR are natural antiviral dietary supplements. Their formula contains five natural ingredients: Selenium, Camellia Sinesis Extract, Quercetin, Cinnamomum Extract, and Licorice Extract. The first ingredient is a trace element, and the other four are plant extracts. Each ingredient and its dose was chosen through a scientific approach. Scientists at polyDNA, the company that invented and patented the formula, scanned thousands of scientific and medical papers published in various medical and scientific journals, and identified the safest and most effective natural ingredients against latent viruses.

To date, Novirin and Gene-Eden-VIR are the only natural antiviral products on the market with published clinical studies that support their claims.

The CBCD reminds the public that “ More than 40 HPV types can infect the genital areas of males and females. These HPV types can also infect the mouth and throat. Most people who become infected with HPV do not know they have it.” (3)

Are there treatments available against the HPV?

“There are no drugs approved against the HPV. Current treatments include procedures, such as cryotherapy, conization, and the Loop Electrosurgical Excision Procedure (LEEP). These procedures use liquid nitrogen, a surgical knife (scalpel), a carbon dioxide (CO2) laser, or electrical current to remove the abnormal growths caused by the HPV. These growths include cells that harbor the active virus. The procedures do not target cells with the latent virus. Since they do not remove the latent virus, these procedures only produce a temporary remission.” (4) In contrast, Novirin and Gene-Eden-VIR were designed to target the latent HPV.

“We recommend that individuals infected with the latent HPV, or who think they may be infected, take Novirin or Gene-Eden-VIR” - Greg Bennett, CBCD

Find us on Facebook here: <https://www.facebook.com/GeneEdenVIR>

Follow us on Twitter here: @HananPolansky

References:

(1) WebMD

<http://www.webmd.com/sexual-conditions/guide/genital-warts>

(2) Patient

<http://patient.info/health/anogenital-warts-leaflet>

(3) Centers for Disease Control and Prevention

<http://www.cdc.gov/hpv/parents/questions-answers.html>

(4) Polansky, H. Itzkovitz, E. Gene-Eden-VIR Is Antiviral: Results of a Post Marketing Clinical Study. Published in September 2013.

<http://www.scirp.org/journal/PaperInformation.aspx?PaperID=36101#.U-s9ouOSz90>

Greg Bennett

CBCD

585-250-9999

email us here

This press release can be viewed online at: <http://www.einpresswire.com>

Disclaimer: If you have any questions regarding information in this press release please contact the company listed in the press release. Please do not contact EIN Presswire. We will be unable to assist you with your inquiry. EIN Presswire disclaims any content contained in these releases.

© 1995-2016 IPD Group, Inc. All Right Reserved.

