

# Scientists crack the code to regenerate plant tissues

*A group of scientists from TUS have discovered a way to regenerate flowering plant tissues, opening possibilities of mitigating global food shortage problem.*

TOKYO, JAPAN, April 17, 2019 /EINPresswire.com/ -- Plant regeneration can occur via formation of a mass of pluripotent cells. The process of acquisition of pluripotency involves silencing of genes to remove original tissue memory and priming for activation by external input. Led by Professor Sachihiko Matsunaga from Tokyo University of Science, a team of scientists have shown that plant regenerative capacity requires a certain demethylase that can prime gene expression in response to regenerative cues.



In multicellular organisms, not all genes are expressed in all cells, meaning that not all cells make the same enzymes or proteins, and therefore not all cells have the same metabolism. This differentiation is a key process across multicellular organisms, including plants and fungi. But as cells specialize, they become unipotent, meaning that they lose the ability to form multiple cell types. For long, scientists have tried to reprogram mammal cells for pluripotency by drastic means such as nuclear transfer and induction of transcription factors. However, plants can acquire the same regenerative powers via external signal input such as hormones and stress. A part of the phenomenon is regulated by epigenetics, because these modifications are epi or "above" the genes.

Professor Matsunaga and his team used *Arabidopsis thaliana*, a small flowering plant commonly used in plant biology, to study genome-wide histone modifications. Histones are proteins that package together eukaryotic DNA, preventing it from being transcribed or decoded. Upon being modified, however, these proteins' grasp around the DNA molecule loosens, making it easier for the DNA to be transcribed. The group of scientists found that it is the demethylation (the removal of a methyl group from the amino acid) of the histone H3 by the LDL3 enzyme that lends regenerative competency to the plant. This epigenetic mechanism allows the plant's

pluripotent cells to go back to its unipotent state and thus assume the identity of shoot meristems for differentiated tissues including leaves and stems.

Because no seeds are needed to grow these plants, this could potentially help scientists grow plants faster without flowering. "By strengthening the ability of plants to reproduce, even without seeds," Professor Matsunaga indicated, "it is possible to increase the number of clonal plants with only leaves, stems, and parts of roots. It can address environmental problems by promoting greening and solve the global food problem by increasing production of grains and vegetables."

#### Reference

Title of original paper: Primed histone demethylation regulates shoot regenerative competency

Journal:

DOI: Nature Communications

<https://doi.org/10.1038/s41467-019-09386-5>

#### About the Tokyo University of Science

Tokyo University of Science (TUS) is one of the most well-known, respected, and the largest science-specialized private research university in Japan, with four campuses in central Tokyo and its suburbs and in Hokkaido. Established in 1881, the university has continually contributed to Japan's development in science through inculcating the love for science in researchers, technicians, and educators.

Tsutomu Shimizu

Tokyo University of Science

+81362612290

[email us here](#)

Visit us on social media:

[LinkedIn](#)

---

This press release can be viewed online at: <https://www.einpresswire.com/article/482412337>

EIN Presswire's priority is source transparency. We do not allow opaque clients, and our editors try to be careful about weeding out false and misleading content. As a user, if you see something we have missed, please do bring it to our attention. Your help is welcome. EIN Presswire, Everyone's Internet News Presswire™, tries to define some of the boundaries that are reasonable in today's world. Please see our Editorial Guidelines for more information.

© 1995-2020 IPD Group, Inc. All Right Reserved.