

# Monovaccine (Epstein - Barr virus) Market Overview 2021, Global Size Estimation, Regional Analysis, Technology Trends

---

*The increasing research and development activities and funding by various organizations for the development of monovaccine are expected to drive the growth*

SEATTLE, WASHINGTON, UNITED STATES, November 16, 2021 /EINPresswire.com/ -- The increasing research and development activities and funding by various organizations for the development of monovaccine are expected to drive the market growth over the forecast period. Currently, there is no licensed vaccine for Epstein-Barr Virus (EBV). However, various universities and organizations are focusing on developing novel vaccines against EBV and cater to the unmet needs. For instance, in March 2017, Cancer Research U.K. completed its phase 1b clinical trial of (Modified Vaccinia Ankara) MVA-EBNA1/LMP2 vaccine. It is being treated on nasopharyngeal cancer patients with positive Epstein-Barr virus infection.

Get Sample Report with Latest Covid19 Impact Analysis @  
<https://www.coherentmarketinsights.com/insight/request-sample/2002>

Moreover, in 2017, researchers from the University of Kansas School of Engineering and School of Pharmacy analyzed the genetics of human immune responses to develop basis of an effective vaccine or drug therapy against Epstein-Barr virus or EBV, the pathogen that causes infectious mononucleosis and infects around 90% of adults globally. Furthermore, in January 2019, researchers and scientists from the German Cancer Research Center developed a new strategy for developing a vaccine that targets different EBV virus life phases and exhibits potential in providing protection against EBV infection. Thus, rising monovaccine development efforts by various universities is expected to result in development of novel vaccines, thereby driving the market growth over the forecast period.

Browse 10 Market Data Tables and 10 Figures spread through 84 Pages and in-depth TOC on Global Monovaccine (Epstein-Barr Virus) Market by Application (Mononucleosis, Endemic Burkitt's Lymphoma, Hodgkin's Lymphoma, Gastric Carcinomas, Multiple Sclerosis, and Nasopharyngeal Carcinoma) and Region (North America, Latin America, Europe, Asia Pacific, Middle East, and Africa)

Several government organizations from different regions are focusing on the development of novel monovaccines (Epstein - Barr virus) and also focuses on gaining approval from regulatory

authorities. For instance, in 2019, researchers from the National Institutes of Health's (NIH) National Institute of Allergy and Infectious Diseases (NIAID) determined how various antibodies induced by Epstein-Barr virus (EBV) block infection of cells grown in the laboratory. Researchers further used this information for the development of novel vaccine candidates in animals, elicited potent anti-EBV antibody responses that blocked infection of cell types involved in EBV-associated cancers.

Get PDF Brochure with Latest Insights @

<https://www.coherentmarketinsights.com/insight/request-pdf/2002>

Key Takeaways of the Global Monovaccine (Epstein-Barr Virus) Market:

Currently, there is no availability of approved monovaccines in any region. However, various universities are involved in robust research and development activities for monovaccines against Epstein-Barr virus.

The increasing prevalence of Epstein-Barr virus infections is expected to drive demand for its vaccine, which is further expected to drive the market growth over the forecast period. For instance, according to the study published by Cincinnati Children's Hospital Medical Center, in 2018, Epstein-Barr virus is a very common virus in the U.S. and other developed regions.

Moreover, emerging economies are expected to be more potential regions for vaccine, as chances of infection with EBV are high. For instance, according to the study published by Cincinnati Children's Hospital Medical Center, in 2018, around 90% of the population becomes infected with EBV virus by age 20. In emerging economies, 90% of people are infected by the age of 2 years.

Furthermore, Asia Pacific is expected to be a potential market for nasopharyngeal cancer vaccine as the prevalence of nasopharyngeal cancer is high in Asia Pacific. For instance, according to the American Cancer Society, nasopharyngeal cancer is more common in several regions including South Asia, Middle East, and North Africa. In some parts of China, there are as many as 21 cases per 100,000 people.

Key Players:

Major players involved in development of monovaccine (Epstein-Barr virus) include Cancer Research U.K., National Institutes of Health, Chinese University of Hong Kong, Genome Biosciences, Inc., Dana-Farber Cancer Institute, German Cancer Research Institute, and University of Minnesota.

Purchase This Premium Report To Access Full Information @

<https://www.coherentmarketinsights.com/insight/buy-now/2002>

Contact:

Coherent Market Insights  
1001 4th Ave, #3200 Seattle, WA 98154, U.S.  
Email: [sales@coherentmarketinsights.com](mailto:sales@coherentmarketinsights.com)  
United States of America: +1-206-701-6702  
United Kingdom: +44-020-8133-4027  
Japan: +050-5539-1737  
India: +91-848-285-0837

Raj Shah  
Coherent Market Insights Pvt. Ltd.  
+1 206-701-6702  
[email us here](#)

Visit us on social media:  
[Facebook](#)  
[Twitter](#)  
[LinkedIn](#)  
[Other](#)

---

This press release can be viewed online at: <https://www.einpresswire.com/article/556452677>

EIN Presswire's priority is source transparency. We do not allow opaque clients, and our editors try to be careful about weeding out false and misleading content. As a user, if you see something we have missed, please do bring it to our attention. Your help is welcome. EIN Presswire, Everyone's Internet News Presswire™, tries to define some of the boundaries that are reasonable in today's world. Please see our Editorial Guidelines for more information.

© 1995-2021 IPD Group, Inc. All Right Reserved.