

New Focus on Preventive Screening Highlights Value of Early Detection

Early detection remains important because some digestive conditions may not show clear signs in the early stages


SINGAPORE, SINGAPORE, April 23, 2026

/EINPresswire.com/ -- Many adults still wait for [colon cancer symptoms](#) before they decide to get checked. That approach can delay care, because Singapore's public screening guidance says screening is meant to detect problems even when a person still feels well, and colorectal cancer may not cause symptoms in its early stages.

The same delay happens when people focus first on price or discomfort instead of timing. Questions about [endoscopy cost in Singapore](#) are common, but Curasia's published guidance says the final cost can vary based on the type of procedure, whether sedation or anaesthesia is needed, where the procedure is done, and whether biopsies or other added steps are required.

For some patients, concern about [colonoscopy cost in Singapore](#) can also push the conversation back until symptoms feel harder to ignore. Yet HealthHub's colorectal screening guidance says colonoscopy is one of the recommended screening tests for average-risk asymptomatic adults from age 50, which means the test is part of prevention, not just a response to illness.

That distinction matters because early disease can be quiet. HealthHub says people with colorectal cancer may not have symptoms in the early stages, while Curasia's gastroscopy page says early cancer



may have no symptoms or only minimal discomfort.

By the time symptoms become obvious, the goal of the visit may already have changed. Instead of discussing routine screening, the patient may need diagnostic evaluation for bleeding, bowel habit changes, abdominal pain, or other warning signs that now need explanation. HealthHub lists blood in stools, persistent abdominal discomfort, and changes such as diarrhoea or constipation among the symptoms that can appear later.

Singapore's screening framework is built around acting before that point. HealthHub's national screening programme says screening should be done while a person still feels fine, and its colorectal guidance says routine screening is meant for people without symptoms.



Not everyone follows the same screening timeline. HealthHub says people with increased risk may need to start earlier than age 50, and some higher-risk groups may need colonoscopy 10 years before the youngest affected family member's diagnosis, whichever comes first.

The same wider lesson applies to upper digestive disease. Curasia says gastroscopy is used to examine the oesophagus, stomach, and duodenum, and notes that early cancer may cause little or no discomfort. That means mild fullness, reflux, or upper abdominal discomfort should not always be judged only by how severe they feel.

Price still matters, but it is only one part of the decision. Curasia's recent articles on endoscopy costs say bills can differ because of procedure type, whether the case is diagnostic or therapeutic, whether an anaesthetist is involved, and whether tissue sampling or polyp removal is needed. Insurance coverage and subsidies may also change the final out-of-pocket amount.

The same is true for colonoscopy costs. Curasia's published cost guidance says charges can shift depending on facility setting, sedation needs, and whether the procedure remains diagnostic or includes treatment such as biopsy or polyp removal. In practical terms, that means cost should be weighed with risk, age, family history, and symptoms, rather than treated as the only reason to postpone review.

Curasia's website describes the practice as a Singapore healthcare provider offering gastroscopies and colonoscopies to the general public through day surgery facilities. Its service pages explain that colonoscopy is used to examine the colon and rectum, while gastroscopy

looks at the upper digestive tract.

The broader public message is straightforward. Some digestive conditions begin silently, and some cancers may not produce clear warning signs until later. Waiting until symptoms feel serious can narrow the chance to detect a problem at an earlier stage.

For adults thinking about colon cancer symptoms, endoscopy cost in Singapore, or colonoscopy cost in Singapore, current guidance points in the same direction. Review symptoms, age, family history, and screening needs with a doctor before assuming that the absence of strong symptoms means there is nothing to check.

About Curasia

Curasia Endoscopy is a Singapore healthcare practice that provides endoscopy services to the general public, including gastroscopies and colonoscopies, through day surgery facilities. More information is available on its official website.

Contact:

Curasia Endoscopy Centre

clinic@curasia.com

<https://www.curasia.com/>

Don Poh

Curasia Endoscopy

+65 8907 5951

[email us here](#)

This press release can be viewed online at: <https://www.einpresswire.com/article/906315158>

EIN Presswire's priority is source transparency. We do not allow opaque clients, and our editors try to be careful about weeding out false and misleading content. As a user, if you see something we have missed, please do bring it to our attention. Your help is welcome. EIN Presswire, Everyone's Internet News Presswire™, tries to define some of the boundaries that are reasonable in today's world. Please see our Editorial Guidelines for more information.

© 1995-2026 Newsmatics Inc. All Right Reserved.