

# Hair of Istanbul Explains Why Revision Hair Transplants Require a Different Approach


*Correcting a previous hair transplant is a different operation from a first one, with different constraints, planning needs, and technical considerations.*

ISTANBUL, TURKEY, August 22, 2026 /EINPresswire.com/ -- A revision hair transplant is the operation people seek when a first procedure did not deliver what they were told it would: a hairline that sits too low, grafts pointing the wrong way, visible plugs, density that never arrived, or a donor area left thin or scarred.

It is also a more constrained operation than a first transplant. Previously operated tissue may have altered vascularity and scarring, adding another constraint to graft placement and density. The donor area has already been drawn on, so remaining capacity must be measured rather than assumed, inside a smaller budget of hair.

Understanding why a first transplant failed is the starting point for correcting it. Surgical literature on unfavorable results generally separates causes into two groups: judgment errors made before the first incision, and technique errors during the procedure. Judgment errors include designing a hairline without accounting for decades of continued hair loss, or operating before hair loss has stabilized. Technique errors include the historic "plug" grafts that carried twenty to forty hairs in a single unit — producing the visible, unnatural rows some patients still live with decades later — and grafts placed at an angle that does not match surrounding hair.

Naming the cause matters, since the correction differs depending on what went wrong. A low hairline may require graft removal; low density may require additional grafts; donor scarring requires planning around altered tissue. Many revision patients need more than one addressed, not always in a single session.



Revision hair transplant at Hair of Istanbul: correcting a hairline placed too low and repairing the donor area

## Grafts Removed From a Misplaced Position Are Not Necessarily Wasted

One specific technical question in revision surgery is what happens to the grafts being corrected. Where a follicle is placed in the wrong position but remains intact, some clinics remove it with a fine punch and re-implant it in the correct position in the same session, rather than discarding it and drawing entirely on the donor area. This matters because a revision patient's donor supply is usually already reduced — recycling viable grafts lowers how much of that limited supply the correction requires.

Donor area repair is treated as a separate problem from hairline or density correction. A widened strip scar or the moth-eaten pattern left by over-harvesting is generally addressed with grafts placed directly into scarred tissue combined with pigment (scalp micropigmentation) — since graft placement and achievable density in scarred tissue can be more limited than in healthy scalp, while pigmentation helps reduce the remaining visual contrast.

## Why an Honest Revision Plan Sometimes Includes Limits, Not Just Solutions

A responsible revision consultation does not start with what the patient would like to see, but with how much usable donor area remains, assessed under magnification rather than estimated from a previous invoice — since the donor tissue an earlier extraction actually used is not always reflected in the graft count ultimately transplanted.

This is also why a credible revision plan states what cannot be corrected, not only what can. An over-harvested donor area does not regenerate removed follicles; it can be managed with pigment, redistribution of remaining grafts, or longer hair length, but not restored. Where hair loss is still active and unstabilized, a correction addresses the past result, not future loss. For patients seeking a second opinion, published limitations can be as informative as published capabilities.

## Why Experience With Revision Cases Specifically Matters

Some hair transplant clinics treat revision surgery as a defined, separate service rather than an ordinary transplant performed a second time. [Hair of Istanbul, an Istanbul-based hair transplant clinic](#) operating since 2013, is one example: assessing donor capacity and the previous result under magnification before any graft number is discussed, recovering and re-implanting intact misplaced grafts in the same session where possible, and combining grafts with pigment for donor scar repair. Its [published clinical information on revision surgery](#) also states directly where outcomes have not been measured — noting, for example, that no published satisfaction rate exists for revision surgery — rather than offering an unsubstantiated number.

This matters for patients comparing clinics after a disappointing first result: experience with first-time transplants does not guarantee the same familiarity with scarred tissue and a partially

spent donor area.

## What Patients Should Ask Before a Revision Procedure

Patients considering a revision hair transplant are generally better served by specific questions than by reassurance. Useful ones: How is donor capacity measured before a graft number is proposed? What happens to grafts removed from a misplaced position — discarded or re-implanted? How is a donor scar addressed, and what limits apply to graft density in scarred tissue? How long after the first procedure should a revision be assessed, and why? What outcomes has the clinic not measured or cannot promise? Is the plan built around a single session, or is a staged approach recommended, and why?

Clear, specific answers — including what cannot be guaranteed — tend to be more informative than marketing claims about results.

## A More Measured Approach to a Difficult Category of Surgery

Revision hair transplantation sits in a part of the field where patient expectations are often shaped by a previous disappointment, making precision more important than optimism. A used donor area, an already-operated recipient bed, and a patient already told the first plan would work all call for a consultation that measures before it promises.

For patients evaluating clinics after a disappointing first procedure, the more informative distinction may not be which clinic promises the best result, but which one is specific — and honest — about what a second procedure can and cannot do.

## About Hair of Istanbul

Operating since 2013, Hair of Istanbul is an international hair restoration clinic based in Istanbul, Türkiye, specializing in FUE, DHI and Sapphire FUE hair transplant procedures, including revision hair transplantation, treatment for Afro-textured hair, and female pattern hair loss. The clinic supports patients in 13 languages. More information is available at [hairofistanbul.com](http://hairofistanbul.com).

### Media Contact

Hair of Istanbul

[info@hairofistanbul.com](mailto:info@hairofistanbul.com)

### Media Relations

Hair of Istanbul

[info@hairofistanbul.com](mailto:info@hairofistanbul.com)

Visit us on social media:

[LinkedIn](#)

[Instagram](#)

[Facebook](#)

[YouTube](#)

[X](#)

---

This press release can be viewed online at: <https://www.einpresswire.com/article/936195058>

EIN Presswire's priority is source transparency. We do not allow opaque clients, and our editors try to be careful about weeding out false and misleading content. As a user, if you see something we have missed, please do bring it to our attention. Your help is welcome. EIN Presswire, Everyone's Internet News Presswire™, tries to define some of the boundaries that are reasonable in today's world. Please see our Editorial Guidelines for more information.

© 1995-2026 Newsmatics Inc. All Right Reserved.