

## Infrared Gas Sensors for Enhanced Refrigerant Safety and Compliance

MANSFIELD, ENGLAND, UNITED KINGDOM, July 9, 2024 /EINPresswire.com/ -- Process Sensing Technologies (PST), a leading global supplier of measurement and monitoring systems for processcritical applications, is proud to announce the successful completion of UL60355-2-40 certification for the Axiom A2L refrigerant detector.

UL60355-2-40 requires all users of low GWP refrigerant gases to install a refrigerant leak detection sensor to meet new installation code requirements. The Axiom certification to this standard update marks a significant milestone in supporting new regulations aimed at reducing the global warming potential associated with unexpected leakages and emissions of refrigerants used in air conditioners and heat pumps.



Designed and manufactured by Dynament, a PST brand and world leader in gas sensing innovation, the Axiom A2L detector is poised to revolutionize the detection of A2L gases such as R32 and R454 blends.

The Axiom A2L detector utilizes state-of-the-art nondispersive infrared (NDIR) technology, offering unparalleled capabilities to support OEM integration efforts in meeting regulatory requirements. Key features of the Axiom detector include:

- Fast Response: Detects leaks in less than 10 seconds.
- Multiple Output Options: Analog (voltage, milliamp, open collector) and digital (Modbus) output

options for enhanced flexibility.

• Wide Input Voltage Range: Operates within a voltage range spanning from 5 volts to 24 volts of direct current (DC) power input.

• Onboard Heater: Equipped with an onboard heater to eliminate the potential impact of condensation, ensuring reliable performance in varied environmental conditions.

• Longevity: Offers a 15-year life span with no required field calibrations, providing cost-effective and hasslefree operation.

• Reliability: Failsafe operation and immunity to poisoning ensure dependable performance over time.



Process Sensing Technologies

• Compact Size: Measuring  $1 \times 2 \times 3$  inches with integrated mounting tabs, the detector can be conveniently placed anywhere to support leak detection.

• Diagnostic Support: PC diagnostic tool facilitates service and maintenance support.

Kevin McKeigue, VP of the PST Sensor Division, commented on this significant accomplishment, stating, "Dynament has been at the forefront of NDIR sensing technologies for over two decades, and their expertise is well-aligned with this crucial environmental initiative. The Axiom represents a significant advancement in gas measurement innovations for the HVAC industry, offering a comprehensive and easy-to-integrate solution to meet evolving industry requirements."

For further information about the Axiom A2L refrigerant detector and Dynament's innovative gas-sensing solutions, please visit <u>PST Refrigerant Infrared Gas Detector – Axiom.</u>

Kevin McKeigue Process Sensing Technologies +1 631-427-3898 kevin.mckeigue@processsensing.com Visit us on social media: LinkedIn

This press release can be viewed online at: https://www.einpresswire.com/article/726264830

EIN Presswire's priority is source transparency. We do not allow opaque clients, and our editors try to be careful about weeding out false and misleading content. As a user, if you see something we have missed, please do bring it to our attention. Your help is welcome. EIN Presswire, Everyone's Internet News Presswire<sup>™</sup>, tries to define some of the boundaries that are reasonable

in today's world. Please see our Editorial Guidelines for more information. © 1995-2024 Newsmatics Inc. All Right Reserved.